

Important:

For stages bigger than 6x4m(which is also the minimum Stage size that the band can fit in), **1** extra monitor line for 2 Speakers preferably on speaker Stands as Stage "sidefills" plus **1** extra monitor line as Wedge for the Drummer is required.

(2 Monitor Lines in total)

Stuff that we bring with us

- Snare Drum
- Drum Pedals
- Cymbals
- Keys
- Every item on the input list that is marked in red
- Stomp boxes, guitars, bass etc.

Backline Requirements

– **Drums** (preferably pearl reference)

- 1x Bass Drum (with hole)
- 1x Toms
- 2x Floortom
- 1x Hihat
- 1x HiHat Stand
- 1x Ride
- 2x Cymbals (Crash)
- 1 x Drum throne
- 4 x Cymbal Stands (at least 2 out of 4 stands should be Crane type)
- 1 x Snare Stand

-**1x Bass amp** (4x10 cabinet, ampeg v4bh,)

+cables, mics, stands and DIs required for the setup

Input List

provided by band *

Channel	Instruments	Mic/DI	Where to Plug?
1	Bass Drum	Beyerdynamic TG D50d	XLR to Rack Out 1*
2	Snare	Sm57 / Sennheiser e604	XLR to Rack Out 2*
3	HiTom	Sennheiser e604 or equivalent clip Mic	XLR directly to Mic
4	Floor Tom 1	Sennheiser e604 or equivalent clip Mic	XLR directly to Mic
5	Floor Tom 2	Sennheiser e604 or equivalent clip Mic	XLR directly to Mic
6	OH L	Cardioid small diaphragm Condenser	XLR directly to Mic
7	OH R	Cardioid small diaphragm Condenser	XLR directly to Mic
8	Bass / Bass Synth	-	XLR to Rack Out 3*
9	GTR	-	XLR to Rack Out 4*
10	Micro Korg Keys(Audio)	-	XLR to Rack Out 5*
11	Electronic Drums	-	XLR to Rack Out 6*
12	Santouri	Clip Mic	XLR to Rack Out 7*
13	Main Vocals (Danai)	Shure Beta 58	XLR to Rack Out 8*
14	Backing Vocals (Vas)	Shure sm57	XLR to Rack Out 9*
15	Piano L	-	XLR to Rack Out 10*
16	Piano R	-	XLR to Rack Out 11*
17	Synth 1	-	XLR to Rack Out 12*
18	Synth 2	-	XLR to Rack Out 13*
19	Micro Korg VST	-	XLR to Rack Out 14*
20	Prerecorded L	-	XLR to Rack Out 15*
21	Prerecorded R	-	XLR to Rack Out 16*

2 x small crane mic Stands
5 x big crane mic Stands

Stage Plan



Stage Items List (all in red, provided by the band again)

1. Sidefill Monitors L+R
2. Wedge Monitor Drummer
3. Bass Amp
4. Drum Set
5. **Small Desk for Headphones Monitoring** (Provided by the Band)
*Table or something equivalent provided by the venue)
6. **Band's Monitoring Rack + Laptop**
7. **GTR Stomp Boxes & Fxs Board**
8. **Midi Controller 1**
9. **Midi Controller 2**
10. **Midi Controller 3**
11. **Midi Controller 4**
12. **Santouri**
13. **Bass Stomp & Fx Board**
14. **Bass Synth**

*red squares = AC POWER on stage

IMPORTANT: Because of all the connections needed for the monitoring and to avoid ground loops, all power plugs on stage must take power from one and only Plug as source!!!

AGREEMENT

The above mentioned technical requirements for the artist **Than.ey** are an integral part of their performance and an unconditional part of this contract. If any or all of the specifications cannot be met, I will **notify** the band and/or the managers **prior** to the show at a time that still allows for problems to be solved. By signing this Technical Rider I take full responsibility of providing all the technical support the band needs for its performance and I acknowledge that not fulfilling the terms mentioned above could result to the cancelation of the concert.

Surname:

First Name:

Position:

Show Date:

Venue Name:

Signature

* please fill, sign, scan and send us this last page back per email at : info@thaneye.com